



# C1428R2

1.4 RM



## PRODUCT INFORMATION

C1428R2 furnishes top-end yields, with very strong eastern performance. Great visual appearance. Good disease ratings and strong agronomics. Plants are medium in height with moderate branching and have good lodging resistance scores.

- Top-end yields are produced with very strong performance across the upper Midwest.
- Moderately bushy, medium height plants have good lodging resistance and a great look at harvest.
- Impressive disease characteristics including resistance to SCN, PRR, BSR and tolerance to IDC and WM.
- Adapted to all soils, handles stress extremely well, and can be planted no-till, minimum till or conventionally.

## MANAGEMENT TIPS

Adapts well to no-till and minimum tillage. Well adapted to all common row spacings. Handles stress very well and is adapted to all soils. Very strong eastern performance into Wisconsin and Michigan.

## PLANT CHARACTERISTICS

	1	2	3	4	5	6	7	8	9
Emergence	█	█	█	█	█	█	█	█	█
Standability	█	█	█	█	█	█	█	█	█
Shatter Resistance	█	█	█	█	█	█	█	█	█
Plant Height .....									MT
Plant Type .....									MB
Pubescence .....									Lt. Tawny
Flower Color .....									Purple
Hilum .....									Black
Pod Color .....									Brown

## MANAGEMENT PRACTICES

	1	2	3	4	5	6	7	8	9
Poorly Drained Soils	█	█	█	█	█	█	█	█	█
Marginal Soils	█	█	█	█	█	█	█	█	█
Productive Soils	█	█	█	█	█	█	█	█	█
Adapt to No-Till	█	█	█	█	█	█	█	█	█
Early Vigor	█	█	█	█	█	█	█	█	█


## DISEASE RATINGS

Cyst Nematode Resistance ..... R3, MR14  
Phytophthora Race Resistance ..... Rps1c

	1	2	3	4	5	6	7	8	9
Phytophthora Tolerance	█	█	█	█	█	█	█	█	█
Brown Stem Rot	█	█	█	█	█	█	█	█	█
Iron Deficiency Chlorosis	█	█	█	█	█	█	█	█	█
Sclerotinia White Mold	█	█	█	█	█	█	█	█	█
Sudden Death	█	█	█	█	█	█	█	█	█
Frogeye Leaf Spot	█	█	█	█	█	█	█	█	█
Charcoal Rot	█	█	█	█	█	█	█	█	█
Stem Canker	█	█	█	█	█	█	█	█	█

## PREFERRED PLACEMENT ZONE

Geography
Western
Eastern
Coastal
All



9 = Excellent 1 = Poor N/A = Not Available

GDUs are estimates based on observations and are to provide guidelines for area adaptation. Performance may vary from location to location and from year to year, as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible and should consider the impacts of these conditions on the grower's fields. Preferred Placement Zones represent the best areas of adaptation for a product based on in-field observations, genetic background, and trial data. Products may fit within only a portion of a zone, and products may perform well in other areas not identified. Contact your sales team for details. LG Seeds® and design are registered trademarks of AgReliant Genetics, LLC.